

5 March 1963 46436

5X1A6a
25X1A9a "1. REPORT ON THE PROBLEMS ASSOCIATED
25X1A6C WITH THE WATER SYSTEM AT AS IT AFFECTS THE HEALTH OF
THE STAGING DETACHMENT DUE TO RETURN NEXT WEEK HAS BEEN
DISCUSSED IN HEADQUARTERS WITH THE AGENCY MEDIC STAFF.
PRINCIPALLY, THE FAILURE OF THE MECHANICAL CHLORINATING SYSTEM
THE FLUCTUATING BACTERIOLOGICAL COUNT AND THE UNSUITABILITY
OF HAND CHLORINATING HAVE BEEN CONSIDERED. AS A RESULT, THE
FOLLOWING ACTIONS ARE DIRECTED, TO BE PERFORMED ON EACH

"A. SCREENING PROCEDURES:

25X1A6a returnee as soon as possible after his arrival

- "(1) URINE SHOULD BE STUDIED FOR OVA.
- "(2) STOOL EXAMINATION FOR OVA AND PARASITES.
- "(3) STOOL CULTURE SHOULD BE MADE FOR TYPHOID.
- "B. SEROLOGY:

25X1A9a The following message was sent by

- "(1) COMPLETE BLOOD COUNT
- "(2) CEPHALIN FLOCCULATION
- "(3) THYMOL TURBIDITY

Approved For Release 2000/08/21 : CIA-RDP33-02415A000400010010-4

"(4) TRANSAMINASES

- "2. ANY INDIVIDUAL RUNNING A TEMPERATURE SHOULD RECEIVE A BLOOD CULTURE FOR THYPHOID AS WELL AS MALARIA.
- "3. PLEASE ADVISE YOUR CAPABILITY CONDUCT ABOVE TESTS.

 REQUEST SUMMARY REPORT ON RESULTS TO HEADQUARTERS THEREAFTER.

 ANY INDIVIDUAL FROM FIRST STAGING GROUP WITH LOW FEVER OR

 INTESTINAL COMPLAINTS SHOULD ALSO BE RUN THROUGH ABOVE TESTS."

END OF MESSAGE

25X1A9a

